



Australian Government

Civil Aviation Safety Authority

**THE AUSTRALIAN
AIR TRANSPORT PILOT LICENCE
(HELICOPTER)
EXAMINATION INFORMATION BOOK**

VERSION 2.6 – June 2020

EXPLANATORY NOTE ON VERSION 2.6

Version 2.6 of this ATPL(A) Information Book makes a number of minor changes, e.g. links to Aspeq (in lieu of ASL) and some of the reference books. There have been no changes to the actual exam requirements from version 2.5.

Note on the S76 Performance & Operations Handbook:

Versions 2.2 of the S76 Performance & Operations Handbook (November 1999) contains the same technical standards as Versions 2.3, hence candidates and schools having the former need not buy the latter. However, those holding Version 2.1 (January 1999) and studying/teaching the ATPL(H) Flight Planning and Performance & Loading components of the manual of standards are advised to update their Handbook to Version 2.3.

In the Navigation Appendix, the 'examination aircraft' has been clarified as NOT RVSM-approved, but 'permitted to operate in RVSM airspace' in accordance with conventional IFR cruising levels.

CONTENTS

PART I	General Advice to Candidates	Page 3
PART II	Examination Structure	Page 6
PART III	Administrative Information	Page 9
	Appendix A - Material required for examination	Page 10
	Appendix B - Conduct of Candidates for the Examination	Page 12
	Appendix C - When Answering the Questions	Page 15
PART IV	Technical Information	Page 16
	Appendix A - Abbreviations	Page 18
	Appendix B - Suggested List of Study References	Page 19
	Attachment to Appendix B	Page 21
	Appendix C - Flight Planning	Page 24
	Appendix D - Performance and Loading	Page 31
	Appendix E - Aerodynamics and Aircraft Systems	Page 34
	Appendix F - Navigation	Page 37
	Appendix G - Meteorology	Page 40
	Appendix H - Human Factors	Page 42
	Appendix I - Air Law	Page 44

PART I

GENERAL ADVICE TO CANDIDATES

1 INTRODUCTION

- 1.1 The Civil Aviation Safety Authority (CASA) is entrusted with the responsibility of ensuring Australian Air Transport Pilot (Helicopter) Licence [ATPL(H)] holders are properly qualified to uphold the high standards of safety due to the Australian travelling public.
- 1.2 As an ATPL(H) authorises the holder to act as pilot in command of complex, high capacity, multi-crew helicopter engaged in passenger carrying operations, it is essential that the holder has demonstrated that he/she has, amongst other requirements, the aeronautical knowledge to exercise this privilege. The ATPL(H) manual of standards of training prescribes the necessary areas of knowledge, and the CASA examination is designed to ensure that an applicant for this licence has been trained to the manual of standards, and has attained the required standard for safe operations.

2 COMMITMENT

- 2.1 Before deciding to attempt the examination for the ATPL(H), candidates should appreciate the importance of acquiring the aeronautical knowledge that will provide them with a sound foundation to successfully undertake endorsement training, and to safely operate rotary wing aircraft in regular public transport operations. Consequently, the course of study that candidates adopt will have a very important impact on the standard of their aeronautical knowledge.
- 2.2 Candidates must bear in mind that the ATPL(H) examination is set to a standard based on their undergoing a properly structured course of adequate duration, with appropriate study material, and under qualified instruction and supervision. Such courses are available, and may be by classroom attendance at training institutions, or by distance learning. CASA is of the view that the average candidate would need a minimum ten to fifteen weeks of full-time tuition or the equivalent of at least 350 hours of study, depending on the structure of the course, to fully cover the material contained in the ATPL(H) manual of standards of training and to reach the standard necessary to pass the associated examination.
- 2.3 The time taken is not nearly as great as that required of other professional occupations involving such similarly great responsibility. CASA is absolutely committed to ensuring that a holder of the Australian ATPL(H) is amongst the most competently qualified in the international aviation industry.

3 SELECTING A COURSE

- 3.1 Intending candidates should be aware that, unlike *flying* training schools, *aeronautical knowledge* training organizations are not legally required to be licensed, hence CASA does **not** regulate or supervise them. Therefore it would be prudent for candidates to carry out very careful assessment of these aeronautical knowledge training organizations (or instructors) before selecting one to conduct the training.
- 3.2 CASA promulgates a manual of standards for every flight crew licence or rating, and in the case of the ATPL(H), an accompanying Information Book as well. The manual of standards is the determinant of topic areas by which candidates would have to study to; how well a course subscribes to the manual of standards will serve as an indicator of its standard and quality.
- 3.3 CASA recommends that candidates check the following when selecting a course:

- First and foremost, obtain the relevant manual of standards, and familiarise themselves with it; have a general idea of the scope and depth of the knowledge required of a licence holder. The associated Information Book will also provide additional important details.

Unless candidates have a good idea of what will be involved in the study, they will not be aware of what an ATPL course should properly teach, and therefore not know whether they are receiving value-for-money for their course fees. Candidates attending a course that do not teach correctly to the manual of standards will face difficulties in passing the examination.

- Check whether the training organization being considered offers a structured study plan that ***covers the manual of standards*** in an ***adequate period of time*** (or, if only a few selected subjects are being contemplated for study, the relevant portions of the manual of standards).

The phrase “structured study plan” means that the course is so constructed that it will enable the average candidate to acquire/assimilate the required knowledge, and to the required standard, in a logical 'step-by-step' method.

Common sense will tell that the duration of the course must enable adequate coverage of the manual of standards (or where applicable, the relevant portions) in a manner that permits the knowledge to be assimilated comprehensively, and to the required standard. As mentioned earlier, for the average student, this will be about ten to fifteen weeks of full-time tuition or the equivalent of 350 hours of study for all the subjects.

Courses that promote short cut methods only enable memorization of the provided materials, but not real acquisition of the aeronautical knowledge required of an ATPL holder.

- Check the progress and evaluation system the training organization uses to assess the student's readiness to sit the examination.

Is this designed to regularly assess the student's progress in the structured course so that appropriate *remedial* training may be programmed to ensure the student acquires the required knowledge? This would be one of the indicators of a well-structured course.

Or, does it merely consist of exposing the student to imitations of CASA's examinations for the purpose of 'recognizing' questions and associating these with 'prepared answers'? This method does not prepare the students to acquire the aeronautical knowledge demanded of an ATPL pilot, but merely to memorize/recognize certain items.

- Avoid those training organizations (or instructors) that make promises which appear not to require the candidate to study.
- Assess the aviation and teaching experience of the instructors - do they have the operational background and qualifications to deliver worthwhile instructions?
- Check that the instructor or training organization is registered with CASA. The phrase "registered with CASA" does not mean that the organization is approved by CASA. As a reminder, CASA does not regulate nor supervise aeronautical knowledge training organizations (or instructors).

What it means is that the organization is voluntarily listed with CASA, so that they may receive essential updates on flight crew training and examination matters, as well as the important feedback on their students' performances. Thus, a registered training organization is more likely to have up-to-date information to assist the students than would a non-registered organization.

- Ask/shop around, but do not base a decision solely on cost or convenience.
- Finally, if you are a working person and unable to afford time off to do a full time course covering all the 7 subjects, it will be more practical to attempt the ATPL examination subject by subject, or a manageable number of such subjects. CASA has designed the system for working people to achieve incremental accumulation of subject passes towards a full ATPL credit within a prescribed period of time or 'window' of 2years.

There are distance learning courses for those who wish to study without taking leave from their occupations. This situation is no different from other professions who achieve their degrees or diplomas through this method.

- 3.4 Candidates will not only derive the best value for their money with a well-structured course, but also enjoy a better prospect of passing the examination.

PART II EXAMINATION

STRUCTURE

1 INTRODUCTION

- 1.1 This Book aims to assist candidates in their preparation for the Australian ATPL(H) examination by providing relevant basic information.
- 1.2 The examination tests items of the ATPL (Helicopter) Aeronautical Knowledge Standards as per CASR Part 61 Manual of Standard, Schedule 3.

2 EXAMINATION STRUCTURE

- 2.1 The ATPL(H) examination consists of a seven separate subject-parts (hereafter called *Parts*), that may be attempted singly or in any number at a sitting.
- 2.1.1 Overseas candidates sitting the ATPL(H) under the approved arrangements of their respective national aviation regulatory Authority, which has examination agreements with CASA, are only required to sit for six Parts of this examination, minus the Australian Air Law Part. Under this system the Australian ATPL(H) examination credit will not be issued for the successful candidate. Instead the results will be forwarded to the respective national authority for its own processing, after the candidate has passed the Air Law paper for the country's ATPL(H).
- 2.2 The structure of the examination is as follows:

EXAM PAPER	SUBJECT PARTS	TIME ALLOWED	CODE
1	FLIGHT PLANNING	3.0 HOURS	AFPH
2	NAVIGATION	1.5 HOURS	ANAV
3	PERFORMANCE & LOADING	2.5 HOURS	APLH
4	AERODYNAMICS & AIRCRAFT SYSTEMS	1.5 HOURS	AASH
5	HUMAN FACTORS	1.25 HOURS	AHUF
6	METEOROLOGY	1.5 HOURS	AMET
7	AIR LAW	1.5 HOURS	AALW

3 EXAMINATION QUESTIONS

- 3.1 **Multi-Choice Format** - Examination questions are in multi-choice format, the number of alternative answers varying from three to a maximum of five. Candidates are to select the correct or nearest correct answer for the question asked, and denote this selection on the computer by clicking on the radio button next to their choice of answer. Alternatively, a short answer may be required to be entered into a 'box' on the computer screen. These short answers are restricted to numerical values only, e.g.

The distance to the CP is “ _____ ” nm from YBAS.

For more details about 'fill-in-the-box' answers, see page

<https://www.casa.gov.au/standard-page/casa-style-exam-questions>

- 3.2 **'Stand Alone'** - All questions are 'stand-alone'; that is, they are not linked to any other question, and therefore will neither affect nor be dependent upon the answers of other questions.
- 3.3 **Marks** - Each question carries an amount of mark(s) to be awarded for its successful solution. In some Parts, the questions may each be allocated different mark(s). The amount awarded to the individual question will be based on the degree of complexity (time involved in answering it), and may range from 1 to 5 marks. This allocation will be denoted against the individual question. The candidate is advised to take note of the marks allocated to each question.
- 3.4 **Total Marks Per Examination Part** - The total number of marks each examination Part carries will be the same for every candidate at the same sitting. However, the importance of ensuring that both the relevancy and quality of the examination do not diminished in the face of known accident and incident trends, emerging aviation technology and/or new operational practices, the examination structure and content will be reviewed regularly. This may result in a new Part content, with a revised total amount of marks for that Part.
- 3.5 **Number of Questions Per Examination Paper** - For a Part containing multi-marks questions, the total number of questions each examination paper contains may vary from another paper, as determined by the value of the individual marks of the constituent questions.
- 3.6 **Working Calculations and Assessment** - While working calculations in some questions may be necessary, these are not assessed. The scoring of the attempt is based solely on the selection of correct answers. Therefore a candidate should exercise the utmost care when entering the preferred answers on the computer.
- 3.7 **Re-Assessment** - All workings are destroyed shortly after the examination. In the event of an application for a re-assessment, a review of the associated workings will not constitute part of the process. The sole criterion for deciding whether a question has been answered correctly or not is by determining what has been selected on the computer.

- 3.8 **Removal of Questions from a Paper** - The Authority reserves the right to strike out any questions from any examination Part it sets, where there are valid reasons for doing so.
- 3.9 **Adjusted Score** - When a question is deleted from an examination Part, its marks are neither awarded nor subtracted from a candidate's overall result. The total possible score is reduced by the number of marks associated with the deleted question. However, the total time allocated for the Part remains unchanged.

4 MINIMUM STANDARD

- 4.1 To obtain a Pass in the ATPL(H) examination the candidate must attain the following requirements:
- achieve '**not less than 70%**' of the total possible marks that may be obtained from each paper, with the exception of the Air Law paper (see following sub-paragraph).
 - achieve '**not less than 80%**' of the total possible marks in the Air Law Part.

5 AWARD OF THE ATPL(H) EXAMINATION CREDIT

- 5.1 **Time-Limited Credit for Examination Parts** - An examination part, once passed, may be held in credit for a defined period of time. All seven examination parts must be passed within a permitted rolling period, of 2 years called a 'window'. If all subject-parts are not passed within a 'window', individual subject passes will be lost. The candidates will have to continue to pass subject-part examinations, until all seven subject-parts have been passed within one 'window'.
- 5.2 **Air Law Part** - A pass in ATPL Air Law (AALW) must be achieved in the same 'window' as any other subject. The only difference with AALW is it has a pass mark of not less than 80%, whereas all other ATPL subjects have a pass mark of not less than 70%.
- 5.3 **ATPL(H) Credit** - Once all seven subject-parts are passed within a 'window', an Australian ATP(H)L Theory Examination Credit will be awarded.

PART III

ADMINISTRATIVE INFORMATION

1 INTRODUCTION

- 1.1 An important factor in the successful and stress free sitting of an examination is a thorough understanding of the procedures and processes involved. Adherence to these procedures will ensure that CASA is aware of the candidate's requirements, and that the candidate in turn will know what to expect at the examination.
- 1.2 Part III details the administrative procedures to be followed to successfully apply for an examination sitting and offers advice about the material supplied with the examination, conduct to be followed during the examination and important guidance about question answering techniques.
- 1.3 The information is contained at Appendices A to E of this Part, and familiarity with it will provide the best opportunity for a successful examination result.

2 EXAMINATION SCHEDULE AND APPLICATION TO SIT

- 2.1 **Professional Exams.** CASA has delegated an independent company, [Aspeq](http://aslau.aspeqexams.com) (<http://aslau.aspeqexams.com>) to supervise the professional (and PPL) exams in a number of cities and towns throughout Australia. Professional exams are those for the CPL, ATPL, Flight Engineer licence and various ratings.
- 2.2 More on bookings for professional exams may be found on the Aspeq website.
 - 2.2.1 CASA recommends that the submission of an examination application is not left until the 'last minute', as a position at that venue may not be available.
- 2.3 If a candidate is unsure of the administrative requirements of the examination process, he/she may obtain information and advice from the CASA web site, commencing on page <https://www.casa.gov.au/licences-and-certification/individual-licensing/exams> or by telephoning 131-757.

APPENDIX A TO PART III**MATERIAL REQUIRED FOR EXAMINATION****1 MATERIAL SUPPLIED BY ASPEQ OR CANDIDATE FOR EACH EXAMINATION**

- 1.1 Candidates should refer to the CASA web site, on page <https://www.casa.gov.au/licences-and-certification/individual-licensing/exams/permitted-material-under-part-61> for information about what 'Permitted material' they are allowed to take into each exam and what material the Aspeq invigilator will supply to them This link also includes information about:
- 'self printed copies' of documents, such as CASRs, CARs and CAOs; and
 - Marking and tagging of documents; and
 - 'Not Permitted materials'.
- 1.2 The candidate is responsible for ensuring all documents are up-to-date. Where reference to an Australian AIP document is made, this permits the alternative use of the Jeppesen equivalent document, should the candidate prefer the latter. This option for alternative usage ONLY applies to documents that are 'to be supplied by candidates', and does NOT extend to material that will be 'supplied by Aspeq'.
- 1.3 Candidates are advised that if any difference between the AIP and Jeppesen documents results in the selection of an incorrect answer, CASA will NOT accept this consequence as a basis for re-mark. Candidates should also be aware that the area of coverage and scale of Jeppesen maps/charts differs from those of Airservices Australia. Where questions refer a candidate to a specific map or chart, the reference will be to the Airservices map/chart, not the Jeppesen equivalent.
- 1.4 Other than the mentioned material for the respective examination Parts, all other references and/or equipment are NOT permitted.

2 LOCATION, CONDUCT AND SECURITY OF THE EXAMINATION

2.1 Location

2.1.1 **Australian Sittings** - The Australian ATPL(A) examination is available only in Australia for the Australian public. All examination sittings are conducted and invigilated by Aspeq officers/employees at official centers, which are listed on the Aspeq website.

2.1.2 **Overseas Sittings** – Sitting of Australian exams at an overseas location is not possible.

Overseas sittings for Fijian candidates are available only under a special arrangements between the Australian CASA and the aviation regulatory Authorities of Fiji (CAAF), who use CASA examinations for their own licensing requirements. These sittings will be conducted and invigilated by CAAF.

2.2 Conduct and Security

2.2.1 The integrity of the Australian ATPL examination is contingent upon its proper and fair conduct. In turn the quality of the conduct is to a large extent dependent upon good understanding of examination rules and procedures, and the correct behavior of every candidate. Appendix C provides guidelines for good conduct, while Appendix D contains advice for the candidate on question answering techniques to help achieve a stress free sittings. Ultimately there is no substitute for the commonsense, decency and integrity of the individual.

APPENDIX B TO PART III**CONDUCT OF CANDIDATES FOR THE EXAMINATION****1 INTRODUCTION**

1.1 **Role of the Invigilating Officer** - The Invigilating Officer's main role is to enable the examination to be conducted properly and fairly. He/she ensures that the relevant rules and procedures are complied with. He/she acts on behalf of CASA in assisting the candidate to resolve *administrative* problems that may arise immediately before and during the examination, and in recording observations and complaints made by the candidate.

1.1.1 **Authority of Invigilating Officer** - The candidate **MUST** comply with **ALL** instructions and orders issued by the Invigilating Officer.

1.1.2 **What the Invigilating Officer is NOT** - The Invigilating Officer is **NOT** an examiner, nor an instructor. Therefore he/she is **NOT** permitted to discuss **NOR** interpret any aspects of a question, including any alleged error contained within the question; he/she may **NOT** provide any additional information, unless Flight Crew Licensing Section has directly authorised such an action; he/she may **NOT** assist in the working or calculation process.

2 PRE-EXAMINATION

2.1 **Proof of Identity** - Prior to sitting the examination the candidate must provide to the Invigilating Officer proof of identity. The **ONLY** acceptable form of identification is a photographic document, such as an Australian driver's licence, current International Passport, or ASIC/AVID.

2.2 **Overseas candidates, Proof of Eligibility** - Prior to sitting the examination overseas candidates must produce for sighting by the Invigilating Officer their passport and foreign licence.

2.3 **Information/instructions** - The candidate are advised to read and understand the instructions on the CASA exam preamble, particularly the "Examination Rules" and the list of "Permitted Material". When ready, the candidate can click on the "**Begin Exam**" button. Only after the first exam question appears on the screen, will the timer commence its countdown.

2.4 **Material Permitted** - Other than the material permitted for the respective examination Part, the candidate must not have at, or near, his/her sitting position personal items such as documents, files, bag, briefcase, coats etc. These items may be left at the front or rear of the examination room in accordance with the direction of the Invigilating Officer.

3 DURING THE EXAMINATION

- 3.1 **Seating** - During the examination the candidate must sit and remain seated at the position assigned by the Invigilating Officer.
- 3.2 **Timing** – The Invigilating Officer will start the computer and bring up the correct exam. When the candidate is ready they click the “**Begin Exam**” button, when the time has expired, no further entries can be made and the exam will be submitted automatically.
- 3.3 **Communication** - Silence shall be observed at all times, from the moment the candidate enters the examination room until he/she leaves the place on completion of the examination period. The candidate must **NOT** engage in any form of communication with anyone other than the Invigilating Officer.
- 3.3.1 The candidate shall address a query or report an alleged examination error **ONLY** to the Invigilating Officer, and in a quiet and non-disruptive manner; where possible, this should be done after the examination sitting is completed.
- 3.3.2 **Rights of Other Candidates** - Do respect the rights of other candidates. They are entitled to a quiet environment to sit the examination. The operative word is **SILENCE**. When a candidate has completed the examination, and has been allowed to leave the room, he/she should do so quietly.
- 3.3.3 A candidate who insists on disruptive behaviour to demonstrate a perceived dissatisfaction will be asked to leave the examination room immediately.
- 3.4 **Examination Material** - The examination paper and all materials provided are only for the sitting of the examination itself, and must **NOT** be copied or taken out of the examination room for any purpose. This rule covers all calculations, writings, drawings or scribbling done on working paper and/or the scribble pad.
- 3.4.1 **Unauthorised Reference Material** – Only ‘Permitted material to be supplied by the candidate’ may be taken into the exam room. Any unauthorized or ‘Not Permitted’ material must **NOT** be taken into the examination room, **NOR** should such material be referred to or used during the examination period, whether in or outside the examination room.
- 3.5 **Sharing of Materials** - Candidates are **NOT** permitted to share materials.
- 3.5.1 If a candidate does not have a required material, he/she shall inform the Invigilating Officer of the problem. The Invigilating Officer is **NOT** responsible for procuring material that should have been supplied by the candidate; however, the Invigilating Officer may volunteer to obtain the material, but this must **NOT** be from another candidate sitting the same examination. If the material is not available, the candidate is ultimately responsible for the deficiency.

- 3.6 **General Behaviour** - There shall be no eating, drinking, smoking, listening to any electronic devices, or engaging in improper activity during the examination.
- 3.7 **Proper Conduct** - Failure to comply with any of the above rules will disqualify the candidate from the sitting. The candidate may also be barred from any CASA examinations for 12 months.

4 POST EXAMINATION

- 4.1 **Candidate Comment.** CASA does not accept telephone or email request for post-exam discussion or debrief.

Candidates may apply for a re-assessment of their marked exam. The scheduled fee for this service is \$130. For more information, refer to the [Re-Assessment of Exam](#) page.

There is also a cost-free facility for candidates to submit observations, comments or suggestions to assist CASA improve the exam system. For more information, refer to the [Post Exam Comment](#) page.

APPENDIX C TO PART III**WHEN ANSWERING THE QUESTIONS**

- 1 The examination does not contain any trick question. Each statement means exactly what it says. Do not look for hidden meanings.
- 2 First, **read the question stem very carefully**, and where possible, preferably without looking at the alternative answers. Be sure that you understand what is asked of you.
- 3 Where required, select the relevant map, chart, diagram or document to support your workings. Where possible, without reference to the alternative answers, decide what the correct answer should be, or work out the problem to obtain the answer. Check your selection or calculations to ensure that you have answered the actual question - **NOT** what you **THINK** the question may be.
- 4 Look at the alternative answers and select the one that is the same as your answer. Only one alternative answer will be correct.
- 5 If you cannot find an alternative answer that matches your own answer, go back and **read the question again very carefully**. Make sure that you understand what is required, then re-check your calculations or document references.
- 6 It is **VERY** important that you register your answer choice by ‘clicking’ on the **CORRECT** radio button.
- 7 If you find that you have considerable difficulty with a particular question, do not spend too much time on it. Move on to the other questions and answer those of lesser difficulty. Then go back and reconsider the unanswered questions.
- 8 Remember, you are responsible for your own time management. Use the allocated time fruitfully to answer all or as many questions as possible. Do not waste time during the examination period on disruptive activities such as complaining to, or arguing with, the Invigilating Officer.

PART IV

TECHNICAL INFORMATION

1 INTRODUCTION

- 1.1 The ATPL (Helicopter) Aeronautical Knowledge Manual of standards is essentially a manual of standards of training, while the ATPL(H) examination is a regulatory audit tool to assess whether such training has been completed and that the candidate meets the required standard. Hence the examination may test any item within that manual of standards, **including** those carrying the annotation '*brief discussion only*'.

2 COMMONALITY WITH ATPL (AEROPLANE) EXAMINATION

- 2.1 New technology has enable today's helicopters to operate in high altitude and high speed environments that hitherto have been monopolised by aeroplanes. CASA intends to ensure that the Helicopter ATPL remains relevant to the demands of this new operating envelope. Accordingly, it has identified areas of required training which are common with those for the aeroplane ATPL, and reflected this commonality in the respective Aeronautical Knowledge Syllabi. This approach enables CASA to provide common examination papers for both aeroplane and helicopter for certain subject Parts.

3 GENERAL

- 3.1 **Appendices** - The following appendices contain basic information on all the subject Parts, recommended reading list, standardised methods of calculations, commonly used abbreviations in the examination, and some specimen questions.
- 3.2 **Specimen Questions** - The specimen questions are representative of the style and layout that the candidate will see in the examination papers. These are provided to give the candidate an idea of what to expect, and not meant to be training exercises in themselves. Any such training should be from a proper course.
- 3.2.1 Specimen questions based on charts/documents are valid at time of writing. Subsequent chart/document changes may render these questions obsolete. However, this would not diminish their usefulness as specimen questions.
- 3.3 **Standardised Methods of Calculation** - The standardised methods of calculation for the relevant examination Parts cover rules of interpolation, 'rounding out' and other common assumptions. The objective is to ensure that numerical values derived by the candidate through correct techniques of calculation are similar, or reasonably close, to the values provided by the correct answer of the question.

- 3.4 **'Practical'** - The use of the word 'practical' to describe a question implies that it is one involving calculations, plotting and/or graphical work.
- 3.5 **Use of the 'Non-Electronic' navigation computer.** A competent standard is expected of the candidate in the use of a modern *non-electronic* 'aviation wind triangle and circular slide rule' pilot computer, including employment of its TMN/TAS conversion facility.
- 3.6 Candidates should be aware of any limitations of the navigation computer that they choose to use in all examinations. Where a wind is put onto the navigation computer to determine the ground speed, CASA's solutions are based on the exact 'triangle of velocities'.
- 3.7 If a candidate uses a 'circular' navigation computer, such as a Jeppesen CR-2 or similar, they need to be aware that this type of computer requires the use of 'Effective TAS' for large drift angles. For drift angles of 5 degrees or less, Effective TAS can be ignored, and will not result in a significant difference in the resultant ground speed. For drift angles greater than 5 degrees, candidates should make due allowance for Effective TAS to ensure that there is no significant difference between their calculated ground speed and that of the CASA's solution.

APPENDIX A TO PART IV**ABBREVIATIONS**

The following abbreviations, besides than those listed in the AIP and examination documents, may be employed in the examination:

anm	air nautical mile(s)
GW	gross weight
LW	landing weight
ZFW	zero fuel weight
MZW	mid zone weight
EMZW	estimated mid zone weight
TOW	takeoff weight
MTOW	maximum takeoff weight
CG	centre of gravity
OEI (or 1-INOP)	one engine inoperative operations
CP (or ETP)	critical point (or equi-time point)
CP/OEI	one engine inoperative on and back
FBO	fuel burn off
FOB	fuel on board
PNR	point of no return
PNR/OEI	normal operations out and one engine inoperative back
PSD (or LPSD)	point of safe diversion (or Latest Point of Safe Diversion)
PSD/OEI	normal operations out to the PSD and one engine inoperative operations from the PSD to an alternate aerodrome
SAR	specific air range
SGR	specific ground range
RTOD	rejected takeoff distance
CTOD	continued takeoff distance
PIC	pilot in command
CP	co-pilot
AICUS	(pilot) acting in command under supervision
FE	flight engineer
VR	variable reserve
FR	fixed reserve
kg	kilograms
lb	pounds
mm	millimetres
nm	nautical mile(s)
pax	passengers
fpm	feet per minute
TOC (TOPC)	Top of Climb
TOD/DSPT	Top of Descent/Descent Point
kts	knots

APPENDIX B TO PART IV**SUGGESTED LIST OF STUDY REFERENCES****1 INTRODUCTION**

- 1.1 In setting questions for the ATPL(H) examination, and as for any other flight crew examination, CASA tests to the manual of standards. Candidates must bear in mind that the ATPL(H) examination is set to a standard based on their attending a properly structured course of adequate duration, with appropriate study material, and under qualified instruction and supervision.

2 APPROACHES TO SELECTING STUDY REFERENCES

- 2.1 Until recently, few books have been written specifically for the new ATPL(H) manual of standards. Local publishers have now produced a number of books to meet this requirement. Nonetheless, in some cases more than one book may be required to cover adequately a subject area. Candidates should expect their training organizations to provide course notes (perhaps as a supplement to a nominated publication) so that a topic may be accorded comprehensive study references.

- 2.2 To further assist candidates source good study material, a list of study references has been compiled. This list will be revised at regular intervals, and include recommendations from the industry.

- 2.3 Inclusion in this list does not necessarily mean that questions will be based specifically on, or limited to, the publications. Equally, a candidate must not expect the correct answers of questions to be direct 'quotes' from any specific text of these publications. The list merely indicates that training organisations have found the publications as satisfactory references for studying to the manual of standards.

- 2.4 However, in testing knowledge of some manual of standards topics, certain situations, dictated mainly by the requirement for standardisation, demand referencing to specific books. The following examples represent these situations:

- where generic books differ markedly on certain topic areas, such as in terminology or procedures, a 'master' publication shall be nominated.

e.g. Rolls-Royce "The Jet Engine" for gas turbines topic in Aircraft Systems

- where the use of generic book is not available, adequate or practical, a 'type-specific' book (usually a Flight or Operations Manual) shall be nominated.

e.g. Sikorsky S76 Performance and Operations Handbook for the flight planning and performance subjects

3 SELECTING FROM THE LIST

- 3.1 Books marked with an asterisk (*) are those that CASA nominates as the 'master' reference for purpose of standardisation, particularly of terminology and procedures. These will be subjected to periodic review, as new books come into the market.
- 3.2 CASA does not have the resource to conduct thorough evaluation of all the books on the list, and therefore cannot guarantee their suitability for study of the ATPL(H) manual of standards topics. A large number of these have been added to the list on the recommendations of members of the training industry. Basically, the list provides guidance to candidates to source study materials.
- 3.3 The list may contain more than one reference text on a particular subject, and candidates must personally decide for themselves which would be appropriate. When making a purchase selection, candidates are advised to consult experienced instructors for the optimal choice. Generally, candidates attending a structured course may expect the schools to provide supplementary précis and notes, in addition to a publication, to adequately cover a manual of standards topic.
- 3.4 Candidate will find that a large number of books on this list should already be in their possession. These would include; CASR, CAR, CAO, AIP, DAPs, CAAPs, Manual of Aviation Meteorology, the (old) CAA Operational Notes, the Global Positioning System and Australian Aviation Navigation, and a couple of Human Factors books used in the CPL examination.

ATTACHMENT TO APPENDIX B OF PART IV**ATPL(H) EXAMINATION**
SUGGESTED LIST OF STUDY REFERENCES**FLIGHT PLANNING:**

Sikorsky S76 Performance & Operations Handbook Version 2.3*

Civil Aviation Orders (CAO) 20-95.2

AIP Book

PERFORMANCE & LOADING

CAO 20.7.1B, Sub-Section 3 (Definitions only)*

Sikorsky S76 Performance & Operations Handbook Version 2.3*

NAVIGATION:

CAA Operational notes (NDB, VOR, ILS, DME, INS, RNAV, GPS)*

The Global Positioning System and Australian Aviation Navigation*

The NAVSTAR GPS by Tom Logsdon

Aviator's Guide to GPS by Bill Clarke

Avionics & Flight Management Systems for the Air Transport Pilot
by Aviation Theory Centre

The Ground Studies for Pilots series by Underdown

Vol 1 - Radio Aids

Vol 3 - Nav General & Instruments

Aircraft Instruments & Integrated Systems by Pallett

Manual of Avionics by B Kendall

AERODYNAMICS & AIRCRAFT SYSTEMS

Principles of Helicopter Flight by W.J. Wagtendonk*

The Jet Engine by Rolls-Royce*

Aircraft Gas Turbine Engine Technology by Irwin Treager

Airframe & Powerplant Mechanics by FAA (2 volumes)*

The Aircraft Gas Turbine Engine & Its Operation by Pratt & Whitney

B767-300ER Operations Manual extract* (*obtainable from FCL Section*)

Avionics & Flight Management Systems for the Air Transport Pilot

by Aviation Theory Centre (*also under Navigation*)

Aerodynamics, Engines & Airframe Systems for the Air Transport Pilot

by Aviation Theory Centre

Flying Glass by Rob Avery

Pallett's Aircraft Instruments & Integrated Systems (*also under Navigation*)

The Professional Pilot Study Guide Series by Mike Burton

(*also printed as The Commercial Pilot's Study Manual Series - 1997 - in 4 volumes*)

Vol 2 - Gas Turbine Engines

Vol 4 - Electrics*

Vol 5 - Hydraulics*

Vol 6 - Cabin Pressurisation*

Vol 7 - Pneumatics*

Vol 8 - Advanced Flying Systems

Aircraft - Electricity & Electronics (5th Ed) by Eismin

Aircraft Systems by Ian Moir & Allan Seabridge

Automatic Flight Controls by Pallett

Modern Airmanship by Van Sickle

METEOROLOGY:

Manual of Aviation Meteorology, by Bureau of Meteorology*

AIP Book* with particular emphasis on GEN 3.5

AIR LAW:

CASR, CAR, CAO, AIP *complete*, CAAPs*

Flight Rules and Air Law for the Air Transport Pilot
by Aviation Theory Centre

HUMAN FACTORS:

Air Craft - Human Performance & Limitations by Tony Wilson

Human Factors for Pilots by Roger Green et al*

Human Factors in Flight by Frank Hawkins*

[AC 61-08 v1.0 - Teaching and assessing non-technical skills for single-pilot operations](#)

Human Being Pilot by Aviation Theory Centre*

APPENDIX C TO PART IV**FLIGHT PLANNING****1 INTRODUCTION**

- 1.1 The Flight Planning examination tests primarily Unit 1.10.3 of Schedule 3 of the MOS, but may include items from earlier Units, with reference to the practical applications of 2.1 (a) to (i) *and* the pre flight planning considerations of item 2.2
- 1.2 The examination will have a mixture of questions on general knowledge and 'practical' problems.

2 PRE FLIGHT PLANNING CONSIDERATIONS

- 2.1 Questions testing item 2.1 are of the general knowledge type, with the CAO and AIP *Book* permitted. While this element of the subject Part adopts the principle of an '*open-book*' format, the candidate is advised that pre-study and general familiarity with the relevant rules and procedures are necessary to answer the questions within the time permitted.

3 FLIGHT PLANNING

- 3.1 Questions testing Section 1.1 are, in the main, 'practical' types based on the Sikorsky S76 helicopter, and in general will require the use of *the Sikorsky S76 Performance and Operations Handbook* (hereafter referred to as the *Handbook*). Questions may be based on any section of the Handbook.
- 3.1.1 The flight planning instructions/data in the Handbook, that have to be observed when calculating a solution, may also be collectively termed as *Company Policy*.
- 3.2 All data required to solve the question, other than those to be found in the S76 Performance Handbook, will be provided in each individual question.
- 3.2.1 The relevant data may be in the form of one or more of the following:
- a. Route forecast
 - b. ATIS, TAF, METAR, SPECI or TTF
 - c. In-flight data provided by GPS or other onboard navigation systems
 - d. Distance and track of route sector
- 3.2.2 Distance and track of route sector may be obtained from chart printed information or by measurement.

- 3.3 In most questions candidates will be required to refer to a specific route on an En-Route Chart, or to specific points on an En-Route Chart.
- 3.4 The availability of aerodromes/heliports/helipads may be indicated by the use of the terms "suitable" and "acceptable". This may be in reference to a forecast or simply a statement of the aerodromes/heliports/helipads status. This statement of status will generally be for the period of possible use.
- 3.5 In general the guidelines for working calculations are balanced between simplicity, conservative planning and recognition of the greater accuracy that can be achieved by the use of the electronic calculator.

4 SELECTION OF CRUISING ALTITUDES/FLIGHT LEVELS

- 4.1 Questions may relate to either IFR or VFR operations, though the majority will be under the IFR. Unless otherwise stated in a question, all operations will cruise at altitudes* in accordance with the AIP ENR 1.7 paragraph 5 Table of Cruising Levels North of 80° S for IFR flights. Candidates are expected to recall and apply the appropriate levels for different sectors. All IFR OEI operations will be conducted at sector LSALT. Cruise levels for VFR OEI operations will be given.

* Hereafter referred to as *IFR Levels*

5 DESCENT AND HOLDING

- 5.1 Descent Distance - When planning the descent, the descent is to be planned using both the cruise ground speed and cruise fuel flows.
- 5.2 Holding - Holding is to be conducted using the TAS and Fuel flow stipulated in the Handbook.

6 ONE ENGINE INOPERATIVE (OEI)

- 6.1 Calculation of Fuel Flow - Fuel flow should be based on the temperature at the OEI cruise level.
- 6.2 OEI Holding - OEI Holding is to be conducted using standard OEI TAS and OEI fuel flow stipulated in the Handbook.

7 REQUIRED ACCURACY LIMITS

- 7.1 Use of Forecast Wind and Temperature Data.
 - 7.1.1 Climb - Use wind and temperatures at 2/3 the initial cruise level.
 - 7.1.2 Descent - Use wind at 1/2 the final cruise level.
 - 7.1.3 Extract wind to the nearest 10 degrees and 5 knots. Interpolation between levels is not necessary unless there is a significant wind velocity and/or temperature gradient.
- 7.2 Fuel Flows - determine to the nearest whole pound/hour (e.g. 524 lb/hr).
- 7.3 Time Intervals - determine to the nearest whole minute (e.g. 26 minutes).

8 CRITICAL POINT (CP) AND POINT OF NO RETURN (PNR)

- 8.1 CP has the same meaning as Equi-Time Point (ETP).
 - 8.1.1 CP calculations may involve any flight condition, both normal and abnormal operations. Descent to an aerodrome, and any approach or holding at an aerodrome, may be ignored for determination of the CP position. However, descent/approach/holding are to be included when determining the fuel required to cover a CP situation.
 - 8.1.2 Initial climb to cruise level must be included in the calculation of time or fuel burn off to a CP.
- 8.2 PNR calculations may be based on normal operations to, and normal or abnormal operations from the PNR.
 - 8.2.1 Initial climb to cruise level must be included in the calculation of PNR position, as per Company Policy. Descent/approach/holding to the diversion aerodrome must also be considered when determining a PNR.

9 AVERAGE DATA

- 9.1 Average data may be used where appropriate. Candidates should use their discretion as to the use of average data or whether a more detailed calculation should be made.
- 9.2 Generally, in calculations which cover more than one zone of a flight, as in CP and/or PNR problems, or when determining fuel burn from a given point to landing, the use of average data may be appropriate. Any of the common methods of averaging data such as winds and temperatures are suitable for examination purposes. Average fuel flows and speeds should be extracted at the estimated mid-zone weight of the flight zones.
- 9.3 When the term "average ground speed" is used, no additional allowance for climb need be made when calculating the ETI or Fuel Burn Off to any point during the flight.
- 9.4 ERSA is not a permitted reference for this paper, hence when aerodrome elevation is not given, assume the aerodrome is at MSL for the purpose of calculating any climb allowance required, or any performance limitation.

10 UNIT CONVERSION

- 10.1 1 kilogram (kg) = 2.205 pounds (lb)

11 FUEL GAUGE READINGS

- 11.1 The fuel gauges in the Sikorsky S76 read in pounds. All fuel quantities, fuel flows and initial fuel weights will be given in pounds.

12 ROUNDING OFF PROCEDURES

- 12.1 Where rounding off is required at the end of a calculation, round down to the nearest unit for fractions less than one half, and round up to the nearest unit for fractions of one half or more.

*Examples: 518.1 lb/hr to 518.4 lb/hr would round down to 518 lb/hr
518.5 lb/hr to 518.9 lb/hr would round up to 519 lb/hr*

13 INTERPOLATION OF DATA

- 13.1 Interpolation of data outside the highest and lowest values given for a particular item in the flight manual is not permitted (or required).

Examples: At a MZW of 10000 lb with a DA of 8700 ft, the fuel flow with 2 engines operating would be 488 lb/hr, the same value as a DA of 8000 ft

For OEI cruise under ISA+25 conditions, the fuel flow would be 440 lb/hr, the same value as ISA+20 conditions

For OEI cruise under ISA-10 conditions, the fuel flow would be 420lb/hr, the same value as ISA conditions

14 ENROUTE ALTERNATE AERODROMES

- 14.1 For examination purposes only, in a question where there is no statement regarding the availability of enroute ALTN aerodromes, it is to be assumed that, either a suitable enroute ALTN is available, or there is no fuel limitation imposed in the event of an engine failure at the CP/OEI.

SPECIMEN QUESTIONS
(Correct answers in **BOLD**)

Question 1 - Manual of standards Item 2.1.1(i)

You are planning an IFR flight from DARWIN to KUPANG. Flight details are:

Track DARWIN to KUPANG	283M
Distance DARWIN to KUPANG	450 nm
TOW at DARWIN	10800 lb
Fuel	1850 lb at startup
Cruise level	A060 for 2 engines operating A020 for OEI
Wind	110M/30 kt at A060 140M/15 kt at A020
Temperature	ISA+20 at all levels and places
QNH	1013 HPA
LSALT	1900 ft

The forecast conditions are IMC enroute with an instrument approach expected on arrival at KUPANG. DARWIN is forecast to remain CAVOK for the duration of the flight. Your calculation of the distance from DARWIN to the PNR/OEI is closest to -

- (A) 179 nm.
- (B) 188 nm.
- (C) **196 nm.**
- (D) 228 nm.

Question 2 - Manual of standards Item 2.1.1(d)

You are planning an IFR flight from DARWIN to KUPANG. Flight

details are:

Track DARWIN to KUPANG	283M
Distance DARWIN to KUPANG	450 nm
TOW at DARWIN	10200 lb
Fuel	1850 lb at startup
Cruise level	A060
Wind	110M/30 kt at A060
Temperature	ISA+15 at all levels and places
QNH	995 HPA

The fuel flow for the flight is closest to -

- (A) 480 lb/hr.
- (B) **484 lb/hr.**
- (C) 488 lb/hr.
- (D) 490 lb/hr.

Question 3 - Manual of standards Item 2.1.1(d)

Refer S76 Performance and Operations Handbook

You are planning a single sector IFR flight between two heliports. You have the following flight planning data:

Sector Distance	124 nm
Track	110 deg M
Cruise Level	A050
Wind at A050	060M/28 KT
QNH	1035 HPA
Temperature	ISA-8
TOW	9500 lb

There is a 60 minute holding fuel requirement and an instrument approach fuel requirement at the destination heliport.

Your calculation of the minimum fuel required on board at engine startup is closest to -

- (A) **1525 lb.**
- (B) 1495 lb.
- (C) 1600 lb.
- (D) 1470 lb.

Question 4 - Manual of standards Item 2.1.1(i)

You are planning an IFR flight from DARWIN to KUPANG. Flight details are:

Track DARWIN to KUPANG	283M
Distance DARWIN to KUPANG	450nm
Cruise level	A060 for 2 engines operating A020 for OEI
Wind	110M/30 kt at A060 140M/15 kt at A020
Temperature	ISA+20 at all levels and places
QNH	1013 HPA

The forecast conditions are IMC enroute with an instrument approach expected on arrival at KUPANG. DARWIN is forecast to remain CAVOK for the duration of the flight. Prior to departure, your calculation of the ETI to the CP/OEI is closest to –

- (A) 59 minutes.
- (B) 68 minutes.
- (C) **73 minutes.**
- (D) 108 minutes.

APPENDIX D TO PART IV**PERFORMANCE AND LOADING****1 INTRODUCTION**

- 1.1 The Performance and Loading examination tests primarily Unit 1.11.3 of Schedule 3 of the MOS, but may include items from earlier Units. The exam tests these two topic areas, with a mixture of questions on both 'general knowledge' and 'practical' problems.
- 1.2 Performance questions examines Item 2 of the manual of standards with reference to the following items:
- Take-off and Landing Performance
 - Climb, Cruise and Descent Performance
- 1.2.1 'Practical' performance questions are based on the Sikorsky S76 Helicopter and will usually require the use of the Handbook.
- 1.3 Loading (Weight and Balance) questions examine Item 4 of the manual of standards with reference Weight and Balance.

2 METHODS OF CALCULATION

- 2.1 Paragraphs 3.2 to 12.1 inclusive of Appendix C to Part IV (Flight Planning), where appropriate, also apply to all Performance and Loading questions.

3 REQUIRED ACCURACY LIMITS

- 3.1 Centre of Gravity Moments - determine to one decimal place (e.g. 16029.2 kg/mm/1000).
- 3.1.1 Centre of Gravity Position - determine to the nearest millimetre (e.g. 5073 mm).
- 3.2 MTOW/MLW graphs - determine to plus/minus 20 pounds.
- 3.3 ROC graphs - determine to plus/minus 20 fpm.
- 3.4 For examination purposes, unless a question refers directly to the 'Airspeed Calibration' charts in the Handbook, it is to be assumed that IAS equals CAS.

4 ROUNDING OFF PROCEDURES

- 4.1 Where rounding off is required at the end of a calculation, round down to the nearest unit for fractions less than one half, and round up to the nearest unit for fractions of one half or more.

Examples: 16825.11 kg/mm/1000 to 16825.14 kg/mm/1000 would round down to 16825.1 kg/mm/1000

16825.15 kg/mm/1000 to 16825.19 kg/mm/1000 would round up to 16825.2 kg/mm/1000

- 4.1.1 **The exception to the rounding UP rule is when the method affects safety adversely, where rounding up will involve exceeding final payload or performance limitations. In such cases, the commonsense approach would be to round DOWN.**

*Examples: Where a calculation determines the payload capacity is 9.8 boxes, the final answer would round **down** to 9 boxes*

Where a calculation determines the payload capacity is 11.7 passengers, the final answer would round down to 11 passengers

5 CENTRE OF GRAVITY (CG) CALCULATIONS

- 5.1 The helicopter must be within CG limitations as per Figure 1.2.1 in the Handbook for all possible weights during the flight from Takeoff Weight to Zero Fuel Weight. For examination purposes Figure 1.2.1 should be entered using Gross Weight in kg and Arm in mm.
- 5.2 Fuel moments are to be calculated using Figure 1.2.10 in the Handbook. For examination purposes the required procedure is to convert the fuel load from pounds to kilograms, and interpolate for values not directly available from the table by using the MOMENT/1000 (kg/mm) column. Interpolation to one decimal place is required (see paragraph 12 - Rounding Off Procedures).
- 5.3 For examination purposes, the preferred method of determining the MOMENT/1000 (kg/mm) for useful load other than fuel, is to multiply the weight of an item being loaded by the arm of the item as found on the appropriate Weight and Moment table (see paragraph 12 - Rounding Off Procedures).

SPECIMEN QUESTIONS

Question 1 - Manual of standards Item 4.3.1(a)

You are planning your departure for a multi-stage flight to some offshore floating rigs. The helicopter is loaded as follows:

Crew	2 at 80 kg each
FOB at startup	1480 lb
Row C1	4 passengers at 80 kg each
Row C2	3 passengers at 80 kg each
Row C3	4 passengers at 75 kg each
Cargo in C6	each pax has 12 kg of baggage

The aircraft is in the standard configuration. The flight to the first rig is 54 minutes at a cruise fuel flow of 500 lb/hr. At the first rig you will be off-loading the 4 passengers from row C1, and their baggage. You will then pick up an additional 188 kg of baggage/freight to be loaded into compartment C6 for carriage to the next rig. You will do a rotors running turnaround on the first rig.

From takeoff at the initial departure point to takeoff at the first rig, what (approximate) movement, if any, has the CG position experienced?

- (A) No significant change.
- (B) 110 mm forward.
- (C) **125 mm rearward.**
- (D) 150 mm rearward.

Question 2 - Manual of standards Item 3.3.2(a)

Given the following flight planning data:

Gross Weight	9600 lb
Pressure Height	2200 ft
OAT	+9 degrees C

For a Category B Takeoff with EAPS ON, your calculation of the TOD is -

- (A) **1005 ft.**
- (B) 980 ft.
- (C) 1035 ft.
- (D) 1021 ft.

Question 3 - Manual of standards Item 3.3.2(a)

You are planning an IFR sector with a LSALT of 6000 ft. Given ISA conditions, your calculation of the maximum permitted weight for the sector is –

- (A) 10200 lb.
- (B) 10350 lb.
- (C) **10600 lb.**
- (D) 10750 lb.

APPENDIX E TO PART IV**AERODYNAMICS AND AIRCRAFT SYSTEMS****1 INTRODUCTION**

1.1 The Aerodynamic and Aircraft Systems examination tests Unit 1.4.1 and 1.4.3 of Schedule 3, but may include items from earlier Units with reference to the following items:

- Advanced Aerodynamics
- Airframe and Systems
- Power Plants - Turbine Engine
- Engine Instruments
- Flight Instrumentation Systems
- Automatic Flight Control System
- Warning and Recording Equipment

2 THE USE OF 'TYPE SPECIFIC' REFERENCES FOR TRAINING

2.1 Generally questions in this examination will test items of the manual of standards with a generic approach, except for certain topic areas where there is a lack of readily available or suitable reference material. In such cases, the reference material nominated for the study of such items may be that of an aircraft Pilot or Operations Manual.

2.1.1 The use of the Boeing 767-300ER Operations Manual Extract for the study of some items of the modern aircraft systems manual of standards also represents such an approach. While this reference is a text for aeroplane systems, the information contained within (e.g. TCAS, GPWS, EFIS, EICAS, FMS etc.), are sufficiently generic as to satisfy the training requirements of the helicopter manual of standards.

2.1.2 Use of this reference ensures a reliable source of training material as well as standardisation. The latter is necessary in a multi-choice type of examination.

2.1.3 Another area where some form of standardisation is required, is when generic books differ markedly on certain areas (e.g. terminology or procedures). In such a situation, a book shall be nominated as the 'master' or authoritative reference.

e.g. Rolls-Royce "The Jet Engine" for the gas turbines topic.

- 2.2 Notwithstanding the use of '*type specific*' references in the training of some manual of standards areas of the Aerodynamics and Aircraft Systems subject, the testing philosophy/concept for this topic, as represented by the examination questions, is generic in nature. This approach is no more different than that for the Flight Planning or Performance subjects, where training to learn the subjects' fundamentals, principles and application of principles, in accordance with the manual of standards, requires the use of a nominated '*type specific*' reference material, such as a modern aircraft Flight or Operations Manual. The training objectives to support the attainment of required knowledge and standards may still be achieved through this way.

3 COMMONALITY WITH AEROPLANE SYSTEMS

- 3.1 The modern helicopter has incorporated many aspects of aeroplane technology and equipment to the extent that general system differences with the typically modern turbo-prop transport aeroplane are rapidly disappearing. Where questions in this subject Part are seen to be based on aeroplane systems, these should be considered as questions testing knowledge of generic *aircraft* systems, and are therefore equally applicable to helicopters.
- 3.2 Where a question makes reference to the term *aeroplane*, this shall be taken to mean *aircraft*. All such questions apply equally to the ATPL(H) examination.

SPECIMEN QUESTIONS

Question 1 - Manual of standards Item 2.1.8(b)

During stabilised autorotative flight a driving force is provided when the total reaction (TR) is inclined forward of the axis of rotation. Over what portion of the blade does a driving force generally occur?

- (A) The entire length of the blade.
- (B) The outboard section of the blade.
- (C) **The centre section of the blade.**
- (D) The inboard section of the blade.

Question 2 - Manual of standards Item 3.5.1(a)

An aircraft hydraulic system produces 3000 psi, and the main landing gear (MLG) actuating cylinder has a piston area equivalent to 10 square inches. What force is exerted by the actuator when the MLG is retracted?

- (A) 30 pounds.
- (B) 300 pounds.
- (C) 3000 pounds.
- (D) **30,000 pounds.**
- (E) 300,000 pounds.

Question 3 - Manual of standards Item 4.5

Which is the most common type of starter used on gas turbine engines fitted to modern large commercial helicopters?

- (A) Solid propellant starter.
- (B) **Electric motor starter.**
- (C) Cartridge starter.
- (D) Gas turbine starter.
- (E) APU starter.

APPENDIX F TO PART IV

NAVIGATION

1 INTRODUCTION

1.1 The Navigation examination tests primarily Unit 1.7.3 of Schedule 3 of the MOS, but may include items from earlier Units, which are common to both the Helicopter and Aeroplane. In particular the following items:

- Item 2.1 Navigation Charts.
- Item 2.2 Time Zones.
- Item 2.3 Flight Instruments.
- Item 2.4 Compasses
- Item 2.5 Radio Wave propagation
- Item 2.6 Radio Navigation Aids.
- Item 2.7 Route Navigation.
- Item 2.8 Basic Radar Principles.
- Additional Items from PPL & CPL Navigation may be included, e.g. Unit 1.7.1, Item 2.6 Area Navigation

1.2 The examination will have a mixture of questions on 'general knowledge' and 'practical' problems.

1.2.1 'Practical' questions may be based on any appropriate item of the manual of standards.

1.2.2 Questions are typical of those involving high altitude, high speed aircraft on domestic and international flights.

1.2.3 Where a question makes reference to the term *aeroplane*, this shall be taken to mean *aircraft*. All such questions apply equally to the ATPL(H) examination.

2 PRACTICAL NAVIGATION

2.1 Candidates may be required to refer to a specific route on an En Route Chart (ERC) Low or High, PCA and/or a Terminal Area Chart (TAC). Candidates are to supply these charts.

2.2 Practical navigation questions may contain a reference to Route Sector Wind and Temperature (RSWT) or Grid Point Wind and Temperature (GPWT) forecasts.

2.3 Winds other than those presented in a recognised forecast format will be annotated T (true) or M (magnetic).

2.4 **RVSM.** Candidates are to assume that the 'examination aircraft' is *not* RVSM-approved, but has been cleared to operate in all RVSM airspace in accordance with conventional IFR cruising levels.

3 CRITICAL POINT (CP), POINT OF NO RETURN (PNR) AND POINT OF SAFE DIVERSION (PSD)

- 3.1 CP has the same meaning as Equi-Time Point (ETP).
- 3.2. The term PNR is used for situations where the return flight is to an on-track aerodrome, either the departure point or an alternate aerodrome.
- 3.3 The term PSD or LPSD is used for situations where flight from the PSD is to an off-track alternate aerodrome.
- 3.4 The term '*safe endurance*' used in a PNR or PSD problem means endurance remaining excluding reserves of fuel (or equivalent time). The term '**total endurance**' means endurance remaining including reserves of fuel (or equivalent time).
- 3.5 When total endurance is specified in a question the required reserves to be allowed will be specified [e.g. Variable Reserve (VR) 10% of safe endurance and Fixed Reserve (FR) 30 minutes].
- 3.6 CP, PNR and PSD calculations may involve normal and abnormal operations.
- 3.7 Descent to an aerodrome may be ignored when determining the position of a CP, PNR or PSD.

4 AVERAGE DATA

- 4.1 Average data may be used where appropriate. Candidates should exercise their discretion as to whether the use of average data would be appropriate, or a more detailed calculation should be made.
 - 4.1.1 Generally, in calculations which cover more than one zone of a flight, as in CP, PNR and PSD problems, the use of average data may be appropriate. Any of the common methods of averaging data such as winds and temperatures are suitable for examinations purposes

SPECIMEN QUESTIONS

Question 1 - Item 2.6.3(e)

When using DME to determine your G/S, the maximum G/S error will occur when:

- (A) tracking directly towards or directly away from the DME site.
- (B) tracking obliquely towards or obliquely away from the DME site.
- (C) **tracking abeam the DME site.**
- (D) within 10 nm of the DME site, regardless of your track and/or altitude.

Question 2 - Item 2.7.2(a)

Using a forecast average wind component of 30 kt HEAD, the top-of-climb position for an aircraft is determined to be 115 nm from departure point. Climb time is 19 min. If the average wind component actually experienced during the climb was 20 kt TAIL, the distance from departure point to the actual top-of-climb position would be closest to -

- (A) 120 nm.
- (B) **130 nm.**
- (C) 145 nm.
- (D) 165 nm.

Question 3 - Item 2.7.4(a)

ERC L8 refers.

Flight from PORT HEDLAND, WA (YPPD) to ADELAIDE, SA (YPAD) along A585

Inflight position:

0437 UTC: PD VOR/DME radial 133 @ 90 DME
 0525 UTC: NEWMAN VOR /DME radial 093 @ 120 DME

If the HDG and TAS between these two positions have been held constant at 141M and 280 kt.

Then the average wind between the 0437 UTC and 0525 UTC positions is closest to –

- (A) 170M/75 kt.
- (B) 340M/75 kt.
- (C) 290M/65 kt.
- (D) 110M/65 kt.
- (E) **160M/65 kt.**

APPENDIX G TO PART IV**METEOROLOGY****1 INTRODUCTION**

1.1 The Meteorology examination tests Unit 1.8.4 and Unit 1.8.5 of Schedule 3 of the MOS, but may include items from earlier Units, which are common to both the Helicopter and Aeroplane. In particular the following items:

- The Atmosphere.
- Clouds and Precipitation.
- Motion of the Atmosphere.
- Visibility.
- Ice Accretion.
- Airmasses and Fronts.
- Airmasses and Frontal Analysis
- Synoptic Charts.
- Upper Level Weather.
- Upper Level Charts.
- Climatology.
- Met Observations.
- Reports & Forecasts.

1.2 The examination will have a mixture of questions on general knowledge and 'practical' problems.

1.2.1 'Practical' questions may be based on any appropriate item of the manual of standards, and involves pilot interpretation of charts, satellite photographs, and weather forecasts and reports. These will be provided during the examination.

1.2.2 Questions are typical of those involving high altitude, high speed aircraft on domestic and international flights.

1.2.3 Where a question makes reference to the term *aeroplane*, this shall be taken to mean *aircraft*. All such questions apply equally to the ATPL(H) examination.

SPECIMEN QUESTIONS

Question 1 - Item 2.12.5

TTF SPECI YBTL 0800UTC 03010KT 4000 TS BKN030CB SCT120 27/24 Q1008
FM0830 03010KT 9999 SH SCT035TCU INTER
0830/1100 5000 TS SCT010SCT030CB

The visibility expected for arrival at TOWNSVILLE (YBTL) at 1000 UTC is -

- (A) 5000 metres.
- (B) **10 km or more, reducing to 5000 metres for periods of 30 minutes or less.**
- (C) 10 km or more.
- (D) 4000 metres reducing to 5000 metres for periods of 30 minutes or less.

Question 2 – Unit 1.8.5 Item 2.3.4

Prior to departure you observe that there are cumulus clouds with base 5000 feet in the vicinity of your take-off flight path. Light rain is seen beneath the clouds though the precipitation does not reach the ground.

You delay your departure to avoid severe turbulence and down draft on take-off, as you anticipate the hazards associated with a -

- (A) thunderstorm gust front.
- (B) mountain wave.
- (C) **microburst.**
- (D) radiation inversion.

APPENDIX H TO PART IV

HUMAN FACTORS

1 INTRODUCTION

1.1 The Human Factors examination tests Unit 1.6.3 of Schedule 3 of the MOS, but may include items from earlier Units, which are common to both the Helicopter and Aeroplane. In particular the following items:

- Item 2 Aviation Medicine.
- Item 3 Human Information Processing.
- Item 4 Human Behaviour.
- Item 5 Flying and Health.
- Item 6 Threat & Error Management.

1.2 Questions are typical of those involving multi-crew, turbine powered, high altitude, high speed aircraft on domestic and international flights.

1.2.1 Where a question makes reference to the term *aeroplane*, this shall be taken to mean *aircraft*. All such questions apply equally to the ATPL(H) examination.

2 REFERENCE MATERIAL

2.1 The wide range of reading material available on this topic, with their rich variety of terminology and information, has made standardisation a fairly important consideration. CASA has therefore nominated the following reference material for the study of this manual of standards topic:

- a. Air Craft - Human Factors & Limitations by Tony Wilson
- b. Human Factors for Pilots by Roger G Green et al
- c. Human Factors in Flight by Frank H Hawkins
- d. AC 61-08 Teaching and Assessing Single Pilot Human Factors and Threat and Error Management
(https://www.casa.gov.au/sites/default/files/ac_61_08.pdf)
- e. Human Being Pilot by Aviation Theory Centre

2.1.1 The use of these textbooks as training material builds up logically, and consolidates firmly, on the aeronautical knowledge training attained during the training to the PPL/CPL manual of standards.

SPECIMEN QUESTIONS

Question 1 - Manual of standards Item 2.2.6

While in flight, you notice the other pilot is breathing heavily, her speech is slurred and she complains of feeling dizzy. You also notice her lips and fingertips are blue-tinged. She is probably suffering from -

- (A) hyperventilation.
- (B) CO poisoning.
- (C) **hypoxia.**
- (D) food poisoning.

Question 2 - Manual of standards Item 3.2.1(h)

How should a pilot look at a visual object in poor light conditions, so that her night vision may be optimised?

- (A) In the most direct manner.
- (B) **A little from the side of the eye.**
- (C) Directly, and one eye closed.
- (D) A little from the side of the eye, and with the other eye closed.

Question 3 - Manual of standards Item 4.2.3(e)

In a multi-crew cockpit environment, a captain is more likely to heed any crucial information provided by the co-pilot if it is delivered in a communication style that is both -

- (A) assertive and submissive.
- (B) **assertive and supportive.**
- (C) aggressive and submissive.
- (D) aggressive and supportive.

APPENDIX I TO PART IV**AIR LAW****1 INTRODUCTION**

- 1.1 The Air Law examination tests Unit 1.5.14 and 1.5.15 of Schedule 3 of the MOS, but may include items from earlier Units, which are common to both the Helicopter and Aeroplane. In particular the following items:
- Item 2.2 Aircraft Nationality and Registration.
 - Item 2.3 Airworthiness of Aircraft.
 - Item 2.4 Personnel Licensing.
 - Item 2.5 Rules of the Air.
 - Item 2.6 Procedures for Air Navigation.
 - Item 2.7 Air Traffic Services.
 - Item 2.8 Rules of the Air and Air Traffic Services
 - Item 2.9 Aeronautical Information Service
 - Item 2.10 Aerodromes.
 - Item 2.11 Facilitation.
 - Item 2.12 Search and Rescue.
 - Item 2.13 Security.
 - Item 2.14 Aircraft Accidents and Incidents.
 - Item 2.15 Air Service Operations.
- 1.2 Generally questions are based on multi-crew, turbine powered, high altitude, high speed aircraft, with emphasis being placed on the knowledge required of the pilot in command.
- 1.2.1 These questions will mainly test rules and procedures pertaining to IFR Charter and RPT flights, both domestic and international. However, candidates are expected to possess a very sound foundation of Private and VFR operations.
- 1.2.2 The examination is organised along an '*open-book*' format, but candidates will be required in some questions to exercise a high level of competency in 'factual recall' on the basic rules and procedures in order to answer the questions within the time permitted.
- 1.2.3 Where a question makes reference to the term *aeroplane*, this shall be taken to mean *aircraft*. All such questions apply equally to the ATPL(H) examination.

SPECIMEN QUESTIONS

Question 1 - Manual of standards Item 2.15(j)

A refuelling truck is parked behind a twin engine turbo-jet aircraft in direct line with one of the engines. What is the minimum distance the aircraft should be from the truck before it may move under its own power from the stationary position?

- (A) No specified minimum distance.
- (B) 15 metres.
- (C) 23 metres.
- (D) 30 metres.
- (E) 46 metres.**

Ref. CAO 20.9 (5.1)

Question 2 - Manual of standards Item 2.8.6(b)

Which statement correctly describes the conditions under which LAHSO operations are permitted?

- (A) Simultaneous take-offs are permitted both by day and by night.
- (B) Simultaneous take-off and landing is permitted both by day and by night.
- (C) Simultaneous take-off and landing is permitted by day only.**
- (D) Simultaneous landings may be conducted by day only.

Ref. AIP ENR 1.1 (paragraph 8.5.1 b.)

Question 3 - Manual of standards Item 2.15(g)

A modern twin jet pressurised aircraft is being flown on a passenger-carrying CHTR flight. No quick-donning oxygen mask is available to the pilots.

In such a situation, at least one of the pilots seated at the controls must use supplemental oxygen at all times that the aircraft is operating above -

- (A) A100.
- (B) FL140.
- (C) FL250.**
- (D) FL450.

Ref. CAO 20.4 (8.4)

References valid at time of writing